



CONCRETE TEXTURING TOOL & SUPPLY

45 UNDERWOOD ROAD
1-888-824-2383

THROOP, PA 18512
Fax 1-888-824-2353

www.concrete-texturing.com

MAJESTIC SURFACE PREP

DESCRIPTION: Surf Prep is used to remove excess concrete and lime scale from new brick and tile; to prepare masonry and floor surfaces for staining or coating; and to remove mud stains, rust, corrosion and efflorescence deposits from concrete parking areas, driveways, walkways, and retaining walls.

BENEFITS: *Safe replacement for muriatic acid:* Surf Prep produces no fuming, excessive corrosion or handling hazards associated with raw muriatic acid. *Works quickly:* Surf Prep quickly and effectively dissolves the carbonates that hold scale and other deposits together. *Economical:* Surf Prep is concentrated for economy and may be diluted with water for most applications. Use Surf Prep full strength to prepare a slab for a topping; to open a burnished slab for acid stain or Rainbow Water-borne stains; and to remove scale from metal parts and equipment. Use Surf Prep diluted to remove mortar film, insoluble carbonates, oxides, and to prepare concrete for staining. *Notes:* while cleaning the surface, Surf Prep also opens up the pores in unsealed concrete giving acid stain applications better reaction and color development.

DIRECTIONS: Plastic or polyethylene sprayers and buckets are recommended for application. SS Surf Prep may be applied by brush, dip or spray. (When spraying, use as coarse a pattern as possible to avoid inhalation of mist). Allow to soak for several minutes and rinse thoroughly with water. Repeat application may be necessary if heavy accumulations are present.

NOTE: Some types of stainless steel, chrome plating, porcelain on steel and polished decorative aluminum may be discolored. Test before using. Do not use on magnesium or Zinc (galvanized). Do not allow to contact plastic laminates unless tested first. As with all cleaners protective gloves and goggles are recommended for added safety.

EQUIPMENT: Poly pump sprayer or trig mist sprayers are recommended. Conduct test whenever possible to affirm color choices and techniques prior to all applications.

MIX RATIO Full Strength – For extreme stains, burnished slabs or toppings
1 to 1 (with water) – For Rainbow Stain
3 to 1 (with water) – For acid stain
4 to 1 (with water) – For cleaner

CAUTION: Protect from freezing. Keep out of reach of children.

CONCRETE TEXTURING
TOOL & SUPPLY



CONCRETE KINGDOM
DECORATIVE CONCRETE SHOWROOM
AND TRAINING CENTER
45 Underwood Rd., Throop, Pa
570-689-8025 • 1-888-824-2383